AUTHOR INDEX, VOLUME XXXII

(Page numbers in *italics* refer to discussion participation of papers presented at the Prague Symposium, September 9–15, 1957)

Albrecht, A. C.: see Stockmayer, W. H.
Andrews, T. M.: see Montermoso, J. C.
Angert, L. G., and Kuzminskiĭ, A. S.: On the oxidation mechanism of rubbers in the presence of inhibitors, 1
Bailey, F. E., Jr., Kucera, J. L., and Imhof, L. G.: Molecular weight relations of poly(ethylene oxide), 517
Balwit, J. S.: see Lawton, E. J.
Beever, D. K., and Valentine, L.: Studies on the sorption of moisture by polymers. Part IV. Interval and integral sorption of water vapor by polymers, 521
Beniska, J.: *24*
Bevington, J. C., Eaves, D. E., and Vale, R. L.: Tests on the hydrolysis of certain synthetic polymers, 317
Bigelow, C. C., and Cragg, L. H.: Some light-scattering evidence of critical concentration in dilute polymer solution, 187
Blinc, M., and Blinc, R.: The degree of association of fatty acids in the liquid state as derived from sound velocity data and dipole moment determination, 506
Blinc, R.: see Blinc, M.
Bostick, E. E.: see Morton, M.
Broda, A., Niwińska, T., and Połowinski, S.: Polymer fractionation. The method of fractionation into summative fractions 343
Bruck, S. D.: Chromatographic fractionation of polyethylene terephthalate, 519
Bueche, F., and Harding, S. W.: A new absolute molecular weight method for linear polymers, 177
Burke, W. J., and Ruetman, S. H.: Linear phenol–formaldehyde polymers. Condensation of *o*-chlorophenol with formaldehyde, 221
Campbell, C. H.: Effect of complexing agents on the persulfate-bisulfate catalysis of acrylonitrile polymerization, 413
Cotman, J. D., Jr.: see Ehrlich, P.
Cotten, G. R., Sirianni, A. F., and Puddington, I. E.: Solution properties of polyvinyl acetate, 115
Cragg, L. H.: see Bigelow, C. C.
Dole, M.: see Wunderlich, B.
Eaves, D. E.: see Bevington, J. C.
Ehrlich, P., Pittilo, R. N., and Cotman, J. D., Jr.: The oxygen-initiated polymerizations of ethylene and the oxidation of ethylene at high pressures, 509
Erlander, S. R., and French, D.: Acid hydrolysis and molecular weight of various corn amylopectin and glycogen, 291
Fenstermaker, S. S.: see Ohlberg, S. M.
Franklin, P. J.: see Klute, C. H.
French, D.: see Erlander, S. R.
French, D. M.: Mechanism of vinyl acetate emulsion polymerization, 395
Fujimoto, S.: see Suzuki, M.
Gaetjens, E.: see Morawetz, H.
Gehman, H., Goldfinger, G., and Kolczynski, J. R.: Details on the half-life of polymeric free radicals, 207
Goldfinger, G.: see Gehman, H.
Goldsmith, V.: see Higgins, H. G.
Harding, S. W.: see Bueche, F.
Higgins, H. G., Goldsmith, V., and McKenzie, A. W.: The reactivity of cellulose. III. Acid hydrolysis of eucalypt α-cellulose in the intermediate molecular weight range, 57
——, ——, and ——: The reactivity of cellulose. IV. The activation energy for heterogeneous acid hydrolysis, 247
Imhof, L. G.: see Bailey, F. E., Jr.
Jones, D. W.: Crystalline modifications of cellulose. Part III. The derivation and preliminary study of possible crystal structures, 371
Jordan, E. F., Jr., Palm, W. E., Swern, D., Witnauer, L. P., and Port, W. S.: Copolymers of vinyl alcohol and vinyl stearate, 33
——, and Port, W. S.: The kinetics of the heterogeneous hydrolysis of poly(vinyl formate) and of poly(vinyl formate-co-stearate), 47
Katchalsky, A.: see Rosenheck, K.
Kawaguchi, T.: Dynamic mechanical properties of polyethylene terephthalate, 417
Kawai, T.: Freezing point depression of polymer solutions and gels, 425
Kawata, K.: Effect of composition on the photoelastic behavior of methyl methacrylate–diallyl phthalate (MMA-DAP) copolymers, 27
Kenyon, W. O., and Waugh, G. P.: Polyvinylacetophenone: Preparation, reactions, and depolymerization, 83
Klute, C. H., and Franklin, P. J.: The permeation of water vapor through polyethylene, 161
Kolczynski, J. R.: see Gehman, H.
Kotliar, A. M.: see Krigbaum, W. R.

Krigbaum, W. R., and Kotliar, A. M.: The molecular weight of polyacrylonitrile,323
Kucera, J. L.: see Bailey, F. E., Jr.
Kuzminskiĭ, A. S.: *24*
——: see Angert, L. G.
Lawton, E. J., Balwit, J. S., and Powell, R. S.: Effect of physical state during the electron irradiation of hydrocarbon polymers. Part I. The influence of physical state on reactions occurring in polyethylene during and following the irradiation, 257
——, Powell, R. S., and Balwit, J. S.: Effect of physical state during the electron irradiation of hydrocarbon polymers. Part II. Additional experiments and discussion pertaining to trapped radicals in hydrocarbon polymers, 277
McDonel, E. T.: see Shelton, J. R.
McKenzie, A. W.: see Higgins, H. G.
Magat, M.: *25*
Mann, J., and Marrinan, H. J.: Crystalline modifications of cellulose. Part II. A study with plane-polarized infrared radiation, 357
Marinelli, L. P.: see Montermoso, J. C.
Marrinan, H. J.: see Mann, J.
Matsuoka, S., and Maxwell, B.: Response of linear high polymers to hydrostatic pressure, 131
Maxwell, B.: see Matsuoka, S.
Miyama, H.; see Suzuki, M.
Montermoso, J. C., Andrews, T. M., and Marinelli, L. P.: Polymers of tributylin acrylate esters, 523
Moore, C. G.: The nature of the crosslinks in tetramethylthiuram disulfide-zinc oxide-natural rubber vulcanizates, 503
Morawetz, H., and Gaetjens, E.: A kinetic approach to the characterization of the "microtacticity" of a polymer chain, 526
Morton, M., Rembaum, A., and Bostick, E. E.: Polymerization of cyclic oxides initiated by electron transfer, 530
Naismith, W. E. F.: see Williams, R. K.
Niwińska, T.: see Broda, A.
Ohlberg, S. M., and Fenstermaker, S. S.: The determination of the glass transition temperature of polyethylene by x-ray diffraction, 514
Oosawa, F.: Deformation of networks by detachment and formation of crosslinks, 229
Orr, R. J., and Williams, H. L.: Polar effects in the copolymerization reactions of aconitic acid and some of its esters with nonpolar monomers, 89
Palm, W. E.: see Jordan, E. F., Jr.
Pittilo, R. N.: see Ehrlich, P.
Połowinski, S.: see Broda, A.
Port, W. S.: see Jordan, E. F., Jr.
Powell, R. S.: see Lawton, E. J.
Puddington, I. E.: see Cotten, G. R.
Reding, F. P.: The stiffness modulus of polyethylene as a function of temperature and structure, 487
Rembaum, A.: see Morton, M.
Rosenheck, K., and Katchalsky, A.: Polyampholytes with β-amino acid side chains, 511
Ruetman, S. H.: see Burke, W. J.
Sakajiri, S.: Heat effect of unoriented amorphous polyethylene terephthalate fiber, 252
Schneider, N.: Viscometer for the rapid determination of viscosities at a single concentration, 253
——: A pipetting assembly for withdrawing clarified solutions from a centrifuge rotor, 255
Shelton, J. R., and McDonel, E. T.: Deuterium isotope effect in inhibited oxidation of butadiene-styrene rubber, 75
Sirianni, A. F.: see Cotten, G. R.
Smith, T. L.: Dependence of the ultimate properties of a GR-S rubber on strain rate and temperature, 99
Stockmayer, W. H., and Albrecht, A. C.: Friction constants of chain molecules with excluded volume, 215
Suzuki, M., Miyama, H., and Fujimoto, S.: A thermistor method of determining the rate constant for the copolymerization of vinyl acetate and methyl methacrylate, 445
Swern, D.: see Jordan, E. F., Jr.
Tkáč, A.: *25*
Tung, L. H.: The problem of osmometer membranes partially permeable to the solute, 477
Uelzmann, H.: A theoretical study on the mechanism of Ziegler-type polymerizations, 457
Vale, R. L.: see Bevington, J. C.
Valentine, L.: see Beever, D. K.
Voyutskiĭ, S. S.: Amendment to the papers by Bradford, Brown, and co-workers: "Concerning mechanism of film formation from high polymer dispersions," 528
Waugh, G. P.: see Kenyon, W. O.
Williams, H. L.: see Orr, R. J.
Williams, R. K., and Naismith, W. E. F.: The denaturation of the proteins of the groundnut (*Arachis hypogaea*) with guanidinium salts, metal salts, and urea, 193
Witnauer, L. P.: see Jordan, E. F., Jr.
Wunderlich, B., and Dole, M.: Specific heat of synthetic high polymers. IX. Poly(ethylene sebacate), 125

SUBJECT INDEX, VOLUME XXXII

Aconitic acid, polar effects in copolymerization reactions of, 89
Acrylonitrile polymerization, effect of complexing agents on catalysis of, 413
Catalysis, of acrylonitrile polymerization, 413
Cellulose, crystalline modifications, 357, 371
  reactivity, 57, 247
o-Chlorophenol, condensation with formaldehyde, 221
Chromatography, for fractionation of polyethylene terephthalate, 519
Corn amylopectin, acid hydrolysis and molecular weight, 291
Diallyl phthalate, copolymers with methyl methacrylate, photoelastic behavior, 27
Dipole moment, for determination of degree of association of fatty acids, 506
Dynamic mechanical properties, polyethylene terephthalate, 417
Emulsion polymerization, vinyl acetate, 395
Ethylene, polymerization and oxidation, 509
Fatty acids, degree of association, 506
Film formation, mechanism in dispersions, 528
Formaldehyde, linear polymers with phenols, 221
Fractionation, polyethylene terephthalate by chromatography, 519
  polymer, 343
Freezing point, depression of solutions and gels, 425
Friction constants, chain molecules, 215
Glass transition temperature, of polyethylene, 514
Glycogen, acid hydrolysis and molecular weight, 291
Hydrocarbon polymers, electron irradiation, 257, 277
Hydrolysis, acid, of corn amylopectin and glycogen, 291
  synthetic polymers, 317
Inhibitors, and oxidation mechanism of rubbers, 1
Initiator, electron transfer for cyclic oxide polymerization, 530
  oxygen for ethylene, 509
Irradiation, electron, of hydrocarbon polymers, 257, 277
Light scattering, and critical concentration in polymer solutions, 187
Linear polymers, molecular weight determination, 177
  response to hydrostatic pressure, 131
Methyl methacrylate, copolymers with diallyl phthalate, photoelastic behavior, 27
  copolymers with vinyl acetate, rate constant determination, 445
Microtacticity, polymer chain, 526
Moisture, sorption by polymers, 521
Molecular weights, corn amylopectin and glycogen, 291
  linear polymers, 177
  polyacrylonitrile, 323
  polyethylene oxide, 517
Networks, deformation, 229
Osmometer, partially permeable membranes, 477
Oxides, cyclic, polymerization, 530
Phenols, linear polymers with formaldehyde, 221
Photoelastic behavior, methyl methacrylate-diallyl phthalate, 27
Pipetting assembly, for withdrawing clarified solutions from a centrifuge rotor, 255
Polyacrylonitrile, molecular weight, 323
Polyampholytes, with β-amino side chains, 511
Polyethylene, determination of glass transition temperature, 514
  permeation of water vapor through, 161
  reactions occurring by electron irradiation, 257
  stiffness modulus, 487
Polyethylene oxide, molecular weight, 517
Polyethylene sebacate, specific heat, 125
Polyethylene terephthalate, chromatographic fractionation, 519
  dynamic mechanical properties, 417
  heat effect, 252
Polymers, moisture sorption by, 521
Polyvinyl acetate, solution properties, 115
Polyvinylacetophenone, 83
Polyvinyl formate, heterogeneous hydrolysis, 47
Polyvinyl stearate, heterogeneous hydrolysis, 47
Proteins, denaturation, 193
Radicals, free, half-life, 207
  in hydrocarbon polymers, 277
Rate constant, vinyl acetate-methyl methacrylate copolymerization, 445
Rubber, butadiene-styrene, deuterium isotope effect in inhibited oxidation of, 75
  GR-S, properties, 99
  natural, nature of crosslinks in vulcanizates of, 503
  oxidation mechanism in the presence of inhibitors, 1
Sound velocity data, for determination of degree of association of fatty acids, 506
Tributyltin acrylate esters, polymers of, 523
Vinyl acetate, copolymerization with

methyl methacrylate, rate constant determination, 445
emulsion polymerization, 395
Vinyl alcohol, copolymers with vinyl stearate, 33
Vinyl stearate, copolymers with vinyl alcohol, 33
Viscometer, for viscosity determination at a single concentration, 253
Vulcanizates, nature of crosslinks in, 503
X-ray diffraction, for determination of glass transition temperature of polyethylene, 514
Ziegler-type polymerizations, mechanism, 457